


---

Item no.: 279-501  
Product description: DOUBLE DECK TERMINAL BLOCK THROUGH/THROUGH  
L/L Housing color: gray

---



Produkt kann von Bild abweichen / product may differ

Packing unit 50 pieces

RoHS compliant

Product group	1 (Rail Mounted Terminal Blocks)
Number of levels	2
Cross section [mm <sup>2</sup> ]	0.08 - 1.5 mm <sup>2</sup>
Cross section [AWG]	28 - 16 AWG
Connection method	CAGE CLAMP® CONNECTION
Measured voltage EN	500 V
Measured shock voltage	6 kV
Pollution degree	3
Current intensity EN	18 A
Weight	8.076 g
Color	gray
Wiring type	Front-entry
No. of connection Points	4
No. of potentials	2
Height	39 mm
Height	1.535 in
Width	4 mm
Width	0.157 in
Depth	85 mm

Depth	3.35 in
Strip length from	8 mm
Strip length to	9 mm



Strip length	0.33 in
Customs Tariff No.	85369010
Country of Origin	Deutschland
Mounting	TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [ mm <sup>2</sup> ]
279-501	ABS	05-HG476175/3-PDA	500	18	0,08-1,5
279-501	AEX	E185892	352	10	28-16
279-501	CCA	NL6098	500	18	1,5
279-501	KEMA	2105357.01	500	18	0,08-1,5
279-501	PRS	TE/1718/880590/08	500	18	1,5
279-501	UR	E45172	300	10	28-16

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected