


Item no.: 739-310
 Product description: PCB TERMINAL STRIP 1 SOLDER PIN / POLE 10 POLE PIN
 SPACING 3.5 MM / 0.138 IN



Produkt kann von Bild abweichen / product may differ

Packing unit 120 4*30 pieces

RoHS compliant

Product group	4 (Printed Circuit)
Weight	6.32 g
Color	gray
No. of connection Points	10
No. of potentials	10
pole count	10
Height	12.3 mm
Height	0.184 in
Width	36.5 mm
Width	1.437 in
Depth	13.4 mm
Depth	0.528 in
Pin spacing from	3.5 mm
Pin spacing from	0.138 in
Pollution degree	2
Measured voltage EN	160 V
Measured shock voltage	2.5 kV
Current intensity EN	17.5 A
Pollution degree	2

Measured voltage EN	320 V
Measured shock voltage	2.5 kV
Current intensity EN	17.5 A



Connection method	CAGE CLAMP® CONNECTION
Cross section [mm ²]	0.08 - 1.5 mm ²
Wiring method	solid
Cross section [mm ²]	0.08 - 1.5 mm ²
Cross section to [mm ²]	1 mm ²
Cross section to [mm ²]	1.5 mm ²
Cross section [AWG]	28 - 14 AWG
Strip length from	5 mm
Strip length to	6 mm
Material group	I



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm ²]
739-310	RMR	11130002	250	6	0,5-1,5
739-310	UR	E45172	300	6	28-14

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected