

## Data sheet

739-312/100-000

**PCB TERMINAL STRIP 1 PRESS-IN PIN / POLE  
PIN SPACING 3.5 MM / 0.138 IN FOR PRESSIN TECHNIQUE FRONT-ENTRY**



## Technical data

Package size 100 4\*25 pieces.

Pin spacing from	3.5 mm
Pin spacing from	0.138 in
pole count	12
Cross section from [mm <sup>2</sup> ]	0.08 mm <sup>2</sup>
Cross section to [mm <sup>2</sup> ]	1.5 mm <sup>2</sup>
Cross section from [AWG]	28 AWG
Cross section to [AWG]	14 AWG
Current UL	4 A
Measured voltage EN	250 V
Measured shock voltage	2.5 kV
Pollution degree	2
Current intensity EN	4 A
Voltage UL	300 V
Weight	7.57 g
Color	grey
Wiring type	Front-entry
No. of connection Points	12
No. of potentials	12
Height	12.3 mm
Height	0.184 in
Width	43.5 mm
Width	1.713 in
Depth	13.4 mm

---

**Data sheet**

**739-312/100-000**

**PCB TERMINAL STRIP 1 PRESS-IN PIN / POLE  
PIN SPACING 3.5 MM / 0.138 IN FOR PRESSIN TECHNIQUE FRONT-ENTRY**

---

Depth	0.528 in
Strip length from	5 mm
Strip length to	6 mm
Strip length	0.22 in

---

Data sheet

739-312/100-000

**PCB TERMINAL STRIP 1 PRESS-IN PIN / POLE  
PIN SPACING 3.5 MM / 0.138 IN FOR PRESSIN TECHNIQUE FRONT-ENTRY**

---

Approval	Voltage	Current	Approval number	Notes
UL	300	4	E45172	

---

**Data sheet**

739-312/100-000

**PCB TERMINAL STRIP 1 PRESS-IN PIN / POLE  
PIN SPACING 3.5 MM / 0.138 IN FOR PRESSIN TECHNIQUE FRONT-ENTRY**

---

**Accessories****Item number**

SCREWDRIVER Type 1, bar (2,5 x 0,4) mm

210-119

SCREWDRIVER WITH PARTIALLY INSULATED SHAFT Type 1, bar (2,5 x 0,4) mm

210-619


SELF-ADHESIVE MARKER STRIPS HEIGHT OF MARKER STRIP 3 MM

709-179

## Data sheet

739-312/100-000

**PCB TERMINAL STRIP 1 PRESS-IN PIN / POLE**  
**PIN SPACING 3.5 MM / 0.138 IN FOR PRESSIN TECHNIQUE FRONT-ENTRY**



---

Data sheet

739-312/100-000

**PCB TERMINAL STRIP 1 PRESS-IN PIN / POLE  
PIN SPACING 3.5 MM / 0.138 IN FOR PRESSIN TECHNIQUE FRONT-ENTRY**

---

Diameter of metal-plated hole:  $\checkmark 1,0^{+0,09/-0,06}$  mm

Recommended diam. of drilled hole:  $1,15^{\pm 0,025}$  mm

L = No.of poles x pin spacing + 1,5 mm