


Data sheet | Item number: 2009-414/000-006

Push-in type wire jumper; insulated; 110 mm long; black

www.wago.com/2009-414/000-006



Item description

Safety information 1:

Note: Push down the wire jumper until fully inserted.

Data

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	800 V
Rated surge voltage (III/3)	8 kV
Rated current	18 A

Mechanical data

Wire length of wire jumpers	110 mm
-----------------------------	--------

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Material data

Color	black
Weight	3.3 g

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4055143665834
Customs tariff number	85444290900

Downloads

Documentation

Bid Text

2009-414/000-006 doc - Datei	3. 1. 2018	doc 24.6 kB	Download
2009-414/000-006 X81 - Datei	19. 2. 2019	xml 2.9 kB	Download
Additional Information Technical explanations	3. 4. 2019	pdf 2.2 MB	Download

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 2009-414/000-006 Push-in type wire jumper; insulated; 110 mm long; black	URL	Download
--	-----	----------

Installation Notes


Commoning

Subject to changes. Please also observe the further product documentation!



Push down the wire jumper until fully inserted. Lift the jumper with an operating tool for rewiring.

Commoning



Push-in type wire jumpers common terminal blocks over longer distances and across multiple levels.

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!