


UHF Flexible On-metal Label

HL-R-10040



This flexible label can be stuck on metallic asset easily, special for irregular and uneven surface, it has good performance on metal surface, can be print and encoding by RFID printer.

Physical Features:

Model:	HL-R-10040
Material:	PET/Aluminum Foil/Foam
Dimensions:	100x40x1mm (LxWxT)
Working Temp:	-40~+85°C
Survive Temp:	-40~+120°C
IP Rating:	IP68, test for 5 hours at 1m deep water


RFID Features:

RFID Standard:	EPC C1G2 (ISO18000-6C)
Chip Type:	NXP U code 8
EPC Memory:	128bits
TID Memory:	96bits
Read Range (Fixed Reader):	FCC:14m, on metal;13.5m, in air
Read Range (Handheld Reader):	FCC:8.0m, on metal;6.0m, in air


Other Features:

Data Storage:	> 10 years
Re-write:	100,000 times
Installation:	Adhesive
Support Printer:	SATO CL4NX, Zebra ZT410 Silverline, Postek TX3r, etc.
Customization:	Logo, barcode/QR code, number printing, encoding, antenna design, etc.
Package:	Reel core inner dimension: 76.2mm/ 3" , 300pcs/roll.

Dimensions:



Read Range:



Application:

