

Crimp contact - ST-06KS030



1607582

<https://www.phoenixcontact.com/il/products/1607582>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Crimp contact, turned, contact diameter: 0.6 mm, crimp range: 0.34 mm² ... 0.5 mm²

Your advantages

- Crimping connection: vibration- and temperature-resistant assembly
- High tensile strength of the connection
- Low contact resistance
- Easy production monitoring

Commercial Data

Item number	1607582
Packing unit	100 pc
Minimum order quantity	100 pc
Product Key	ABREBB
Catalog Page	Page 70 (C-2-2019)
GTIN	4046356272988
Weight per Piece (including packing)	0.142 g
Weight per Piece (excluding packing)	0.129 g
Customs tariff number	85366990
Country of origin	DE

Crimp contact - ST-06KS030



1607582

<https://www.phoenixcontact.com/il/products/1607582>

Technical Data

Product properties

Product type	Crimp contact
Contact type	turned
Series	ST

Electrical properties

Contact

Contact diameter	0.6 mm
Min. cross section	0.34 mm ²
Max. cross section	0.5 mm ²

Material specifications

Contact surface	Nickel-plated (Ni), with gold coating (Au)
Contact material	CuZn

Dimensions

Mechanical characteristics

Contact diameter	0.6 mm
------------------	--------

Crimp contact - ST-06KS030

1607582

<https://www.phoenixcontact.com/il/products/1607582>



Approvals



EAC

Approval ID: B.01687

Crimp contact - ST-06KS030



1607582

<https://www.phoenixcontact.com/il/products/1607582>

Classifications

ECLASS

ECLASS-9.0	27440204
ECLASS-10.0.1	27440204
ECLASS-11.0	27440204

ETIM

ETIM 8.0	EC000796
----------	----------

UNSPSC

UNSPSC 21.0	39121500
-------------	----------

Crimp contact - ST-06KS030



1607582

<https://www.phoenixcontact.com/il/products/1607582>

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Crimp contact - ST-06KS030

1607582

<https://www.phoenixcontact.com/il/products/1607582>



Accessories

Crimp locator

Crimp locator - SF-Z0053 - 1615584

<https://www.phoenixcontact.com/il/products/1615584>



Locator for RC-Z2514 and RC-Z2504 crimping pliers, for crimping turned SF and ST contacts, diameter of 0.6 mm ... 1.0 mm and 2.0 mm.

Crimping pliers with digital display

Crimping pliers with digital display - SF-Z0054 - 1615585

<https://www.phoenixcontact.com/il/products/1615585>



Crimping pliers for turned crimp contacts \varnothing 0.6 mm / \varnothing 0.8 mm / \varnothing 1 mm / \varnothing 2 mm, litz wire cross section of 0.06 mm² ... 2.5 mm²

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Israel Ltd.
P.O.B. 1799 Industrial Park Hasharon
Quadima 60920
+972-9-8915700
info@phoenixcontact.co.il